

### **D-5460NS**



# Product description:

# **MOLY DRI-LUBE ZERO OZONE DEPLETING**

#### **FEATURES:**

- A resin-bonded system of molybdenum disulfide powder that is dispersed in a thermoplastic resin which air dries in 5-10 minutes
- Contains a dry film
- An extreme pressure lube

#### **KEY BENEFITS:**

- Excellent high temperature stability
- Good surface adhesion
- Excellent for use as a break-in lube, rubber anti-seize, and gasket coating
- Contains a fast air drying formula
- Has a clean and uncontaminated
- Formulation yields a thin but durable abrasion resistant coating that is effective up to 660°F (350°C)

# delivery system

#### **SPECS:**

- GE Aviation GE/DFO: A50 TF192 Class C-6, 192-58
- UAL#: LUB-4500-12SC
- NSN: 9150-01-057-2576 (16 fl oz (473 mL) Aerosol)

Rev: 20069J 07-08-2024







### **D-5460NS**



Page 2 of 3

# **Product description:**

### **MOLY DRI-LUBE ZERO OZONE**

#### **DEPLETING**

#### **APPLICATIONS:**

- ✓ **D-5460NS** can be used in conjunction with the **Formit**® extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit**® technical data sheet for more information.
- ✓ Bulk application available as ZC-460
- ✓ Originally formulated for DC-8 flap track fairings
- ✓ **D-5460NS** is used in aircraft applications, which includes DC-10 elevator bus support system parts (springs and quick tubes) and engine applications, such as fan rotor assembly and fan reverser precooler duct seal lubrication

#### **PHYSICAL PROPERTIES:**

Average Particle Size: MoS<sub>2</sub> 0.4 Microns (0.01 Mils)

Coefficient of Friction: 0.23 (Static)

Color: Gray

Fungal Growth per Fed-STD-810 Method 508.7: 0 (No Microbial Growth)

Service Temperature: 390°F (200°C)

### **AVAILABLE PACK SIZES:**

#### **D-5460NS**

Case of 12 of 16 fl oz (473 mL) Aerosols-002061

Pack Sizes Continued On The Next Page







### **D-5460NS**



Page 3 of 3

# **Product description:**

## **MOLY DRI-LUBE ZERO OZONE**

### **DEPLETING**

### **AVAILABLE PACK SIZES (CONTINUED FROM PAGE 2):**

#### **ZC-460**

- Case of 4 each Gallon (4 each of 3.8 L) Cans-002318
- Special Packaging Upon Request



